

**Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**1 Identification**

- **Product Identifier**
- **Trade Name:** TruLock™ Foley Catheter Securement Device
- **Other means of identification**
- **Product Number:** TLFC1, TLFC5, TLFCP
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Catheter Securement Device
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
HR HealthCare  
2600 Eastern Blvd.  
Suite 201  
York, PA 17402  
Phone: 877-302-1110  
Fax: 717-685-2590  
www.hrhealthcare.com
- **Emergency telephone number:** (717) 252-1110

**2 Hazard(s) Identification**

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known
- **Classification according to (d)(1)(ii) of § 1910.1200**  
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
- **Hazards not otherwise classified**  
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

(Contd. on page 2)

**Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device****\* 3 Composition/Information on Ingredients****· Non-hazardous components:**

113669-95-7	Polyester Resin	>50%
	Acrylate Copolymers	1-5%

**· Chemical characterization: Substance****· Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

**· Dangerous Components:**

CAS: 141-78-6	Ethyl acetate	≤2.5%
RTECS: AH 5425000	⚠ Flammable liquids 2, H225; ⚠ Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H336	

**· Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

**4 First-Aid Measures****· Description of first aid measures**

**· General information:** If symptoms persist, call a physician.

**· After inhalation:** Supply fresh air; consult doctor in case of complaints.

**· After skin contact:**

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

**· After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

**· After swallowing:** If swallowed and symptoms occur, consult a doctor.

**· Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**· Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

**5 Fire-Fighting Measures****· Extinguishing media****· Suitable extinguishing agents:**

Class B: dry chemical, carbon dioxide, foam, steam or water fog.

Use fire fighting measures that suit the environment.

**· For safety reasons unsuitable extinguishing agents:** No further relevant information.

**· Special hazards arising from the substance or mixture:** Combustible solid

**· Advice for firefighters****· Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

**6 Accidental Release Measures**

**· Personal precautions, protective equipment and emergency procedures:** Not required.

**· Environmental precautions:** No special measures required.

**· Methods and material for containment and cleaning up:**

Dispose of the collected material according to regulations.

(Contd. on page 3)

**Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device**

· <b>PAC-1:</b>		
141-78-6	Ethyl acetate	1,200 ppm
· <b>PAC-2:</b>		
141-78-6	Ethyl acetate	1,700 ppm
· <b>PAC-3:</b>		
141-78-6	Ethyl acetate	10000** ppm

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and Storage**

- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Keep away from heat sources and sunlight.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

**8 Exposure Controls/Personal Protection**· **Control parameters:**· **Components with occupational exposure limits:****141-78-6 Ethyl acetate**PEL Long-term value: 1400 mg/m<sup>3</sup>, 400 ppmREL Long-term value: 1400 mg/m<sup>3</sup>, 400 ppmTLV Long-term value: 1440 mg/m<sup>3</sup>, 400 ppm

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not required.
- **Limitation and supervision of exposure into the environment:** None

**9 Physical and Chemical Properties**· **Information on basic physical and chemical properties**· **General Information**· **Physical state**

Solid

· **Color:**

Light yellow

· **Odor:**

Characteristic

(Contd. on page 4)

**Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device**

· <b>Odor threshold:</b>	Not determined.
· <b>Melting point/Melting range:</b>	Not determined.
· <b>Boiling point/Boiling range:</b>	Not determined.
· <b>Flammability:</b>	Not determined.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	None
· <b>Auto igniting:</b>	Not applicable
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic:</b>	Not applicable.
· <b>Dynamic:</b>	Not applicable.
· <b>Solubility in / Miscibility with:</b>	
· <b>Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Vapor pressure:</b>	Not applicable.
· <b>Vapor pressure:</b>	
· <b>Density:</b>	Not determined.
· <b>Relative density:</b>	Not determined.
· <b>Vapor density:</b>	Not applicable.
· <b>Particle characteristics</b>	Not determined.
· <b>Other information:</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Solid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not self-igniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	2.0 %
· <b>VOC content:</b>	2.00 %
· <b>Solids content:</b>	100.0 %
· <b>Change in condition</b>	
· <b>Evaporation rate:</b>	Not applicable.

**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:**  
Burning can produce carbon monoxide and carbon oxide and hydrogen cyanide.

(Contd. on page 5)

**Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device****11 Toxicological Information**· **Information on toxicological effects:**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****141-78-6 Ethyl acetate**

Oral	LD50	5,620 mg/kg (rabbit)
Dermal	LD50	18,000 mg/kg (rabbit)

· **Primary irritant effect:**· **On the skin:** No irritating effect.· **On the eye:** No irritating effect.· **Additional toxicological information:**· **Interactive effects** No interactive effects between components are known.· **Carcinogenic categories:**· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

**12 Ecological Information**· **Toxicity:**· **Aquatic toxicity:****141-78-6 Ethyl acetate**

EC50	3,090 mg/l (Daphnia)
------	----------------------

· **Persistence and degradability:** No further relevant information available.· **Bioaccumulative potential:** No further relevant information available.· **Mobility in soil:** No further relevant information available.· **Results of PBT and vPvB assessment:**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects:**· **Additional ecological information:**· **General notes:** Not known to be hazardous to water.**13 Disposal Considerations**· **Waste treatment methods**· **Recommendation:**

Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**· **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

**Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device****14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Special precautions for user:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

113669-95-7	Polyester Resin	ACTIVE
141-78-6	Ethyl acetate	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

141-78-6 Ethyl acetate

· **New Jersey Special Hazardous Substance List:**

141-78-6 Ethyl acetate F3

(Contd. on page 7)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device**

· <b>Pennsylvania Right-to-Know List:</b>		
141-78-6	Ethyl acetate	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
141-78-6	Ethyl acetate	E
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
None of the ingredients are listed.		
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
None of the ingredients are listed.		
· <b>GHS label elements</b> Non-Regulated Material		
· <b>Hazard pictograms:</b> Non-Regulated Material		
· <b>Signal word:</b> Non-Regulated Material		
· <b>Hazard statements:</b> Non-Regulated Material		
· <b>National regulations:</b>		
The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.		
· <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.		

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of previous version** 06/15/2025
- **Version number of previous version:** 2
- **Date of preparation** 06/15/2025
- **Abbreviations and acronyms:**
  - ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
  - ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMIS: Hazardous Materials Identification System (USA)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - NIOSH: National Institute for Occupational Safety and Health
  - OSHA: Occupational Safety & Health Administration
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - Flammable liquids 2: Flammable liquids – Category 2
  - Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
  - Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 8)

## **Safety Data Sheet**

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/15/2025

Revised on 06/15/2025

**Trade Name: TruLock™ Foley Catheter Securement Device**

· \* **Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106